STOP
LOOK
POINT

5S Solutions

Safety Signs / Aisle Striping & Walkways / Inline Aisle Striping / 5S Shapes
5S Letters & Numbers / Evacuation Glow Products

EXIT

Ergomat 5S Solutions & Safety Products

ERGOMAT.COM 5S Tools Material Selection

Peel-&-stick aisle striping, glow-in-the-dark evacuation products, 5S shapes, & safety signage for organized facility layouts: easy to install, zero downtime, & completely silicone-& PFAS-free (per- & polyfluoroalkyl substances).

LEANSTRIPE

LEANSTRIPE®   Widths : From 1" up to 28" (2.5cm - 71cm)

The lowest-profile LeanStripe® floor marking product ensures a smooth transition, reducing side impacts for greater durability, while offering strong adhesion & long-lasting performance.

- Edge-to-edge adhesive (20% stronger adhesion)
- vibrant colors
- low profile surface (24 mils / 0.0245" / 0.61mm)
- most durable floor marking solutions on the market for all floor types

3 YEAR WARRANTY

DURASTRIPE

Ergomat's flagship 5S brand, trusted as the toughest & most versatile floor marking system on the market. Designed to perform across all floor conditions with exceptional durability & conformability.

SUPREME V   Widths : 2", 3", 4"-36" (5, 7.5,10 - 90 cm)

- conformable aggressive adhesive for less than perfect floors
- up to 36" wide (90 cm)
- low profile surface

2 YEAR WARRANTY

X-TREME   Widths : 2", 3", 4" (5, 7.5,10 cm)

Engineered for the smoothest floors & the toughest traffic, DuraStripe® Xtreme delivers unmatched surface hardness & impact resistance. Its low-friction, glossy finish resists scuffing, wear, & wheel-spin damage for long-lasting performance.

- smooth solid surface
- easy to clean & maintain
- resists puckering or wrinkling caused by pivoting or skidding wheels

2 YEAR WARRANTY

DURASTRIPE COLD STORAGE

Widths : 2" & 4" (5 & 10cm)

- low temperature adhesive
- easy to clean & maintain
- resists puckering or wrinkling caused by pivoting of skidding wheels

2 YEAR WARRANTY

DuraStripe® SELECTION GUIDE

| Floor Condition	Supreme V	LeanStripe®	Xtreme	Cold Storage
New Floors	Best	Best	Best	Best
Sealed/Epoxied	Best	Best	Best	Best
Unsealed Floor	Best	Best	Good	OK
Chipped/Gouged	Good	Best	NR	NR
Uneven	Better	Best	NR	NR
Oily	Good	OK	OK	Best
Wet	Good	OK	OK	Best
Non-Skid/Textured	Class R 10 / 11.6 ° Per DIN 51130	Best	Possible (w/Testing)	Class R 10 / 11.6 ° Per DIN 51130
Heavy Forklift Traffic	Good	Best	Best	Good
Skidding/Pivoting	OK	Better	Best	Better
Dragged/Pushed Pallets*	Good	Best	Better	Good
Freezer (23°F / -5°C)	NR	NR	NR	Best

SIGNAGE*

From durable peel-&-stick signage to fully customized visuals, our Supreme V® & LeanStripe® lines deliver clear, lasting solutions for every floor marking & safety communication need. Available in Supreme V & LeanStripe®

SHAPES & ICONS

Perfect tools to improve the efficiency & organization of 5S, Six Sigma, & Visual Workplace programs. Available in solid colors & hazard combinations across all DuraStripe® versions.

WALKWAYS*

DuraStripe® walkways are available in solid colors & hazard combinations of Supreme V® & LeanStripe®, providing durable, high-visibility guidance throughout your facility.

DURAVIEW   Custom Colors Available.

DuraView provides durable protection for temporary floor signs, safety warnings, lean instructions, location indicators, barcodes, or any other on-floor communication you need to display.

AISLE STRIPING ROLLS*

Peel-&-stick aisle striping rolls install instantly with no dry time or cleanup, providing clear, durable floor demarcation for every area of your facility. Available in all DuraStripe® & LeanStripe® materials, in a wide range of widths & colors — including standard, custom, & hazard combinations. Custom Colors Available.

IN-LINE PRINTING ROLLS*

Inline printed messaging allows you to communicate important instructions, directions, & safety reminders directly on your floors. Designed for industrial environments, DuraStripe® & LeanStripe® Inline Printing deliver strong adhesion, excellent traction, & full customization flexibility, with UV- & smear-resistant graphics up to 36" wide (90 cm).

GLOW PRODUCTS*

DuraStripe® Glow products enhance visibility & safety by clearly marking evacuation routes & exits during low-light or power-out conditions. Available in Supreme V® & LeanStripe®, in striping, arrows, footprints, pux, & signage formats ; durable, easy to install, & built to last.

BAR CODES

The only durable solution for floor barcoding on the market, combining crisp, scanner-ready image quality with the long-lasting adhesion & proven durability of DuraStripe®.

Safety Signs

DuraStripe® & LeanStripe® safety signs enhance workplace safety through clear, customizable visual communication. They help prevent accidents by alerting workers to potential hazards, department restrictions, & safety tool locations. With flexible formats & durable materials, they are ideal for reinforcing safety protocols in industrial & commercial environments. Available in Supreme V® & LeanStripe® materials, & also offered in magnetic, metal, & PVC formats.

PEEL & STICK INSTALLATION · **DURABLE** · **UV RESISTANT** · **ENVIRONMENTALLY SAFE** · **5S TOOLS** · **TIME SAVER** · **EASY TO USE**

Material Spec.	Thickness	Adhesive	Warranty	Resistance
DuraStripe	36 mil (0,91mm)	Blue Cloth Tape	2 years	Industrial & vehicle traffic, forklifts & pallet jacks, heavy foot traffic, many common chemicals
LeanStripe	24 mils (0.61mm)	Acrylic Based Hot Melt	3 years	

DuraStripe® SELECTION GUIDE

Floor Condition	Supreme V	LeanStripe®
New Floors	Best	Best
Sealed/Epoxied	Best	Best
Unsealed Floor	Best	Best
Chipped/Gouged	Good	Best
Uneven	Better	Best
Oily	Good	OK
Wet	Good	OK
Non-Skid/Textured	Class R 10 / 11.6 ° Per DIN 51130	Best
Heavy Forklift Traffic	Good	Best
Skidding/Pivoting	OK	Better
Dragged/Pushed Pallets*	Good	Best
Freezer (23°F / -5°C)	NR	NR

Graphic Options: Full catalog of stock graphics. Custom graphics available upon request.

Standard sizes: Available up to 35.5" (90cm)   **Oversized signs:** Signs over 35.5" (90cm) are created in multiple pieces

Product Types:

Circular Signs

Rectangular Signs

Triangular Signs

Octagonal Signs

Half Stop Signs

Full Door Swing

Half Door Swing

Arrows

Turn Arrows

Magnet Signs

Aluminum Signs

Oversized Signs

Aisle Striping Rolls *LEANSTRIPE* *DURASTRIPE*

Peel-&-stick aisle striping rolls are available in all five Ergomat 5S material types, offering instant installation with no dry time or cleanup. Durable & easy to maintain, they provide long-lasting floor marking for every facility layout.

Available Sizes:
   Widths: 2", 3", 4" & 6" (5cm, 7.5cm, 10cm, 15cm); **Lengths:** 100' (30m)

Available Colors:

Custom Colors Available

LeanStripe®	
Supreme V	
X-Treme	
Cold Storage	
Mean Lean	

Hazard Aisle Striping Rolls *LEANSTRIPE* *DURASTRIPE*

Ergomat's hazard striping rolls are ideal for visually warning workers of hazardous conditions & critical areas. Available in our toughest materials: LeanStripe®, Supreme V®, & Cold Storage, ensuring a durable, long-lasting floor safety solution.

Available Sizes:
   Widths: 2", 3", 4", 6", 12", 24", 36"
   (5cm, 7.5cm, 10cm, 15cm 60cm, 90cm)

   Lengths: 50', & 100' Rolls (15m & 30m)

Available Colors:

Custom Colors Available

LeanStripe®	
Supreme V	
Cold Storage	

In-Line Aisle Striping Rolls *LeanStripe* *DuraStripe*

Convey safety messages, directions, or instructions directly on your aisle striping. Choose from our extensive library of standard messages or create fully customized text & graphics. Available in Supreme V® & LeanStripe®, offering durable, easy-to-clean performance for high-traffic environments. Ideal for reinforcing communication & safety throughout your workplace.

Available Sizes: (min. order qty 3 rolls)
   Widths: 1", 2", 3", 4" (2.5cm, 5cm, 7.5cm, 10cm)
   Lengths: 50' rolls (15m)

Available Material:
   Supreme V & LeanStripe®

Common In-Line Styles

Walkways Floor Marking Rolls *DuraStripe* *LeanStripe*

Solid-colored DuraStripe® walkways, available up to 36" (90 cm) wide, come in the seven standard colors of Supreme V®. Our most versatile DuraStripe® version combines durability & surface conformability to perform across all floor types. Custom walkways can also be produced with solid-color graphics tailored to your facility layout. Available in Supreme V® & LeanStripe®.

Available Sizes:
   Widths: up to 36" (90cm) ; Lengths: 50' rolls (15m)

Available Colors:

Supreme V   Custom Colors Available

LeanStripe®

5S Shapes & Icons

LEANSTRIPE **DURASTRIPE**

Peel-&-stick shapes & icons, such as arrows & footprints, are perfect for guiding traffic flow, while "T"s & corners help organize floors efficiently. Pux, letters, & numbers provide clear labeling for high-impact traffic areas & floor identification. DuraStripe® installs in minutes & stands up to the toughest conditions — from cracked or uneven surfaces to constant vehicle & foot traffic. Available in all DuraStripe® versions & colors, including hazard striping, as well as Supreme V® & LeanStripe®. Built for demanding environments, these shapes deliver lasting adhesion, visibility, & durability where it matters most.

Available Shapes

Corners

Strips

T's & X's

Arrows & Arrow Heads

Letters & Numbers

ABC123

Pedestrian Shapes

Pux & Donuts

Available Sizes: Starting at 2" (5cm) Up to 12" (30cm). Custom sizes available.

Available Colors:

Custom Colors Available

- LeanStripe®
- Supreme V
- X-Treme
- Cold Storage
- Mean Lean

Features:

STRONG BOND NO MORE PAINTING COLOR VARIATIONS TEXTURED SURFACE BOND PEEL & STICK INSTALLATION HIGH VISIBILITY CUSTOMIZABLE

ESD PROTECTED AREA ESD PROTECTED AREA ESD PROTE

5S *Evacuation / Glow* Products   LEANSTRIPE

LeanStripe® Glow products clearly communicate evacuation routes & exits, ensuring safety & visibility even in low-light or power-out conditions. These high-performance glow-in-the-dark markers are available as aisle striping, safety signs, directional arrows, footprints, & pux markers. Designed to enhance emergency preparedness, they provide reliable guidance when traditional lighting is unavailable. Available exclusively in the innovative LeanStripe® product range.

Normal Lighting

Evacuation Lighting

Product Types

In-Line

Features:

2 YEAR WARRANTY · PEEL & STICK INSTALLATION · STRONG BOND · CUSTOMIZABLE · HIGH VISIBILITY

Arrows

Size: 12"x4" Stem 2" *(30.5 cm × 10 cm Stem 5cm) Custom Sizes available upon request*

Foot Prints

Size: *9.5" x 3.5" (23cm x 8cm) Custom Sizes available upon request*

Signs

Size: Sizes up to 17.5" (44.45cm)

Pux

Size: 2" , 3.5", 6" , 9" (5cm, 9cm, 15cm, 23cm)

Custom Sizes available upon request

Strips

Size: 2"x 4", 3"x 6" , 2"x12" , 4"x 8" (5cm x10cm, 7,5cm x 15m, 5cm x30cm,10cm x 20cm) *Custom Sizes available upon request*

DuraViews (document protection) DURASTRIPE.

DuraView provides durable protection for temporary floor signs, safety warnings, lean instructions, location indicators, & barcodes. Keep several on hand to create instant signage whenever needed, without tools or downtime. Engineered for clarity & longevity, DuraView protects vital on-floor communication in demanding environments. Available in Supreme V®.

4 Sided DuraView Example:

DuraView Arrow Example:

3 Sided DuraView Example:

Hazard DuraView Example:

DETAILS - NORTH & SOUTH AMERICA

Type	Frame Width	Sides	Whole Size (US)	Window Size	Colors										
Four Sided	2"	4	15 x 12.5 in	8.5 x 11 inches (letter)	LB	GY	Y	R	DB	O	BK	W	G	P	BK/Y
Three Sided (long side open)	2"	3	15 x 10.5 in	8.5 x 11 inches (letter)	LB	GY	Y	R	DB	O	BK	W	G	P	BK/Y
Three Sided (short side open)	2"	3	13 x 12.5 in	8.5 x 11 inches (letter)	LB	GY	Y	R	DB	O	BK	W	G	P	BK/Y
3 sided mini (N/A only)	2"	3	7.5 x 12.5 in	8.5 x 5.5 inches (half)	LB	GY	Y	R	DB	O	BK	W	G	P	BK/Y
4 sided mini) (N/A only)	2"	4	9.5 x 12.5 in	8.5 x 5.5 inches (half)	LB	GY	Y	R	DB	O	BK	W	G	P	BK/Y

DETAILS - EUROPE

Type	Frame Width	Sides	Total Size	Window Size (Europe)	Colors										
DV-A3-29.7-(COLOR)	5cm	3-4	39,7x52 cm	A3 - 29,7cm x 42cm	LB	GY	Y	R	DB	O	BK	W	G	P	BK/Y
DV-A4-21-(COLOR)	5cm	3-4	31x39,7 cm	A4 - 21cm x 29,7cm	LB	GY	Y	R	DB	O	BK	W	G	P	BK/Y
DV-A5-14.8-(COLOR)	5cm	3-4	24,8x31 cm	A5 - 14,8cm x 21cm	LB	GY	Y	R	DB	O	BK	W	G	P	BK/Y
DVRG-A4-21-(COLOR)	5cm	3-4	31x39,7 cm	A4 - 21cm x 29,7cm	LB	--	Y	R	--	--	BK	W	G	P	--
DVRG-A5-14.8-(COLOR)	5cm	3-4	24,8x31 cm	A5 - 14,8cm x 21cm	LB	--	Y	R	--	--	BK	W	G	P	--
DVU-ARROW-34x10-(COLOR)	2.5cm	4	10cmx34cm	29 cmx4.5 cm	LB		Y	R	DB	O	BK	W	G	P	

Bar Codes DURASTRIPE.

The only durable solution for floor barcoding on the market, combining crisp, scanner-ready image quality with the proven adhesion & long-lasting durability of DuraStripe®. Ideal for warehouses, production areas, & logistics zones requiring reliable, scannable identification.

· Installed on the floor or on racking   · Crisp & clear image   · UV fade resistant   · Easy peel-&-stick installation

Available Sizes:

3.5" x 5.5" (8.8 cm × 14 cm)
3.5" x 7.5" (8.8 cm × 19 cm)
3.5" x 9.5" (8.8 cm × 24 cm)
4" x 6" (10 cm × 15 cm)
4" x 8" (10 cm × 20 cm)
5.5" x 7.5" (14 cm × 17 cm)

Graphics:

Full Color graphics available upon request

Supplemental DuraStripe® 5S Products

DuraStripe® & LeanStripe® Cleaner

DuraStripe® Cleaner is a non-toxic, biodegradable, & versatile cleaning concentrate designed for residue-free floor preparation before installing DuraStripe®.

DuraShield Protectors

Protect labels & signs from scratches & peeling.
Eliminate costly & time draining printing. Expand the life of your labels & barcodes.

5S Products Installation & Care **DuraStripe®** **LeanStripe**

To ensure optimal performance & longevity, proper installation & regular maintenance are essential. This guide outlines the recommended procedures for installing DuraStripe® products on various surfaces, as well as best practices for cleaning & caring for them to maintain their visibility, adhesion, & overall effectiveness.

Step I. Preparation

Note: As with any print & tape installation, it is crucial that the floor be prepared properly, & is as clean & dry as possible.

***Recommended Usage/Installation temperature:** 40°F / 4.5°C & above*

1. Remove all old tape adhesive &/or chipped paint completely from the floor surface.

2. Clean floor surfaces using A CLEANER CONTAINING NO CHLORINE OR CITRUS CLEANERS - Chlorine has a tendency of leaving a haze on the floor, making it difficult for any adhesive to stick effectively. Citrus cleaners can leave an oily residue that inhibits adhesion.

3. If you are required to use a degreaser on the floor, please remove / wash off the degreaser prior to applying the DuraStripe®.

4. Allow floor surfaces to dry completely & wait at least 30 minutes before applying the DuraStripe®.

5. Once the floor is dried properly, you may apply DuraStripe® Icons, Signage, or Striping where needed.

6. Proceed to Step II. Applying the DuraStripe®

Step II. Installing DuraStripe®

DuraStripe® is installed most efficiently & accurately with a 2-person installation crew.

1. Remove 30 cm of the protective backing from the end of the DuraStripe® roll.

2. Align the stripe in the direction that you intend to apply the striping & press the exposed adhesive backing firmly to the floor.

3. While one installer maintains pressure on the stripe that has been stuck on the floor, the second installer unrolls the stripe to the desired length, keeping it off the floor while maintaining both tension & alignment.

4. As the second installer continues to maintain firm tension on the unrolled stripe, the first installer works down the line, removing the liner from the adhesive & firmly pressing the exposed adhesive to the floor until the desired length has been affixed.

5. To end a line, simply cut the DuraStripe® with scissors or a utility

6. To create mitered corners, allow two pieces of DuraStripe® to overlap, with the bottom piece adhered to the floor, & the top piece overlapping.

7. Complete the miter by cutting both layers together from the inside corner to the outside corner & discard the cut ends of both stripes. The resulting corner pieces will be perfectly matched.

8. To increase DuraStripe® products bond to the floor, you may drive something heavy, such as a forklift, down the entire line.

Note: Floor surfaces containing cracks or holes can reduce the lifespan of DuraStripe® products. In areas such as high traffic zones, where pallets, skids or other objects have the tendency to scrape or drag on the ground, we recommend using the DuraPux or to score a solid line every foot.

Cleaning of DuraStripe®:

Dirty DuraStripe® is cleaned with warm water & DuraStripe® Cleaner. DuraStripe® does not resist powerful solvents, but resists acids & alkaline liquids.

Removing DuraStripe®:

Possible glue remnant is safely removed with a concentrated citris cleaner.
1. Add some "Citrus Cleaner" to a cloth & smear it on the glue remnant.
2. Brush over the glue remnant with a scrubbing brush.
3. The dissolved remnant is easily scraped or wiped with a dry cloth.
4. Wash the floor surface with soap or household detergent as necessary to completely remove citrus cleaner before reapplying DuraStripe®.

5S Products Details & Color Information

The Ergomat 5S matting system utilizes durable, ergonomic materials combined with a standardized RAL color-coding scheme to visually organize work zones, improve communication, & enhance compliance. When used alongside Lean Tools such as visual boards, floor markings, & shadow boards, the system creates a cohesive & highly functional workspace tailored for optimal productivity.

Available Standard Colors

Type	Material	Glue	Thickness	Hardness	Width	Colors
LEANSTRIPE®	PVC Vinyl	Hot Melt	24 mils 0.61 mm	98 Shore A	1" up to 27" 2.5cm up to 69cm	R O Y G W BK DB BK/Y BK/W R/W G/W
XTREME	PVC	Rubber Based	30 mils 0.76 mm	98 Shore A	2" / 3" / 4" 5cm / 7.5cm / 10cm	R O Y G LB W BK GY BR P DB _ _ _ _
SUPREME V	PVC	Rubber Based	36 mils 0.91 mm	95 Shore A	2"- 36" 5cm - 90cm	R O Y G _ W BK _ _ _ DB BK/Y BK/W R/W G/W
HAZARD	PVC	Rubber Based	36 mils 0.91 mm	95 Shore A	2"- 36" 5cm - 90cm	_ _ _ _ _ _ _ _ _ _ _ BK/Y BK/W R/W G/W
COLD STORAGE	PVC	Acrylic	33 mils 0.85 mm	95 Shore A	2" / 4" 5cm / 10cm	R O Y G _ W B _ _ _ DB BK/Y BK/W R/W G/W
INLINE PRINT	PVC	Rubber Based	38 mils 0.93 mm	95 Shore A	2" / 3" / 4" 5cm / 7.5cm / 10cm	Any Custom Print Color

DuraStripe® RAL COLOR GUIDE *(closest RAL value)*

	XTREME	SUPREME V	HAZARD	COLD STORAGE	LEANSTRIPE®
	RAL 3000	RAL 3020	___	RAL 3020	RAL 3028
	RAL 2002	RAL 2008	___	RAL 2008	RAL 2008
	RAL 1018	RAL 1003	___	RAL 1003	RAL 1016
	RAL 5015	___	___		
	RAL 6029	RAL 6016	___	RAL 6016	RAL 6029
	RAL 9016	RAL 9010	___	RAL 9010	RAL 9010
	RAL 9011	RAL 9004	___	RAL 9004	RAL 9005
	RAL 7045	___	___	___	___
	RAL 7013	___	___	___	___
	RAL 4005	___	___	___	___
	RAL 5005	RAL 5005	___	RAL 5005	RAL 5015
	___	___	RAL 9004/RAL 1018	RAL 9004/RAL 1018	RAL 9005/RAL 1016
	___	RAL 9004/RAL 9016	RAL 9004/RAL 9016	RAL 9004/RAL 9016	RAL 9005/RAL 9010
	___	RAL 3020/RAL 9016	RAL 3020/RAL 9016	RAL 3020/RAL 9016	RAL 3028/RAL 9010
	___	RAL 6037/RAL 9016	RAL 6037/RAL 9016	RAL 6037/RAL 9016	RAL 6029/RAL 9010

Custom Colors RAL COLOR GUIDE *(closest RAL value)*

	XTREME	SUPREME V	HAZARD	COLD STORAGE	LEANSTRIPE®
	___	RAL 6037/RAL 1018	___	___	RAL 6037/RAL 1016
	___	RAL 9004/RAL 2008	___	___	RAL 9005/RAL 2008
	___	RAL 2008/RAL 9010	___	___	RAL 2008/RAL 9010
	___	RAL 5005/RAL 9010	___	___	RAL 5015/RAL 9010

DuraStripe® vs. PAINT

DuraStripe®: The Smarter Solution for Industrial Floor Marking

DuraStripe® is a cost-effective, fast-installing, low-maintenance, & highly durable floor marking system designed for demanding industrial environments. Compared to traditional painted lines, DuraStripe® offers superior versatility, efficiency, & long-term value.

Painting safety lines often involves extensive surface preparation, labor, & downtime—driving costs to $6.00 or more per linear foot. Sealed or polished floors pose additional challenges, making paint adhesion unreliable & reconfiguration costly & time-consuming. Removing painted lines can require significant effort, further disrupting operations.

DuraStripe® eliminates these inefficiencies. With pricing starting at just $1.00 per linear foot, it delivers substantial savings in both time & resources. It installs directly onto active factory floors during normal working hours—no cure time, no shutdowns required. Its advanced adhesive bonds securely to sealed & polished surfaces, & its modular design allows for detailed graphic signage & layout changes in minutes.

Whether you're upgrading your facility for safety compliance or streamlining lean visual communication, DuraStripe® offers a proven, flexible alternative to paint.

DuraStripe® — The advantages of Peel & Stick vs. PAINT

| DuraStripe®	PAINT
• Adheres reliably to sealed & polished floors	• Costly
• Installs in minutes during regular working hours	• Dry time & cure time = overtime or downtime
• Requires no cure time or downtime	• Difficult to remove for reconfiguration
• Supports detailed graphic signage & custom shapes	• Chipping & cracking may occur
• Maintains visual integrity in industrial conditions	• Costly to maintain consistent appearence

---

DuraStripe® vs. VINYL

DuraStripe®: Engineered for Durability, Designed for Safety

DuraStripe® is a highly durable industrial floor marking system that offers exceptional versatility compared to standard vinyl tape options.

While vinyl tape may appear cost-effective upfront, it often falls short in high-traffic or forklift-heavy environments. Vinyl tape can peel, crack, or shift under pressure, leading to frequent replacements, safety hazards, & visual inconsistency.

DuraStripe® is engineered for longevity & performance—resisting wear, tear, & heavy equipment traffic without compromising adhesion or clarity.

When factoring in the costs of repeated tape replacement, labor, & operational disruptions, vinyl tape becomes a hidden expense.

DuraStripe®, with options starting as low as $1.00 per linear foot, delivers long-term savings & operational efficiency.

Vinyl tape may suffice for temporary or low-traffic zones, but for facilities seeking durable, compliant, & reconfigurable floor marking solutions, DuraStripe® is the clear winner.


Durastripe supports inline printing & custom graphics

VINYL

VINYL
• Vinyl tape tends to shrink over time, distorting layout precision.
• Disruption During Removal: Replacing worn tape can interrupt workflow & leave uneven surfaces.
• Poor resistance to chemicals, moisture, & temperature extremes.
• Shorter Lifespan: Compared to heavy-duty alternatives like DuraStripe, vinyl tape has a significantly shorter service life.

Bumper Guards (Personnel & Facility Protection)

Ergomat Protective Bumper Guards are designed to prevent impact damage & reduce the risk of personal injury in dynamic work environments. Made from tough, flexible polyurethane foam with highly visible black & yellow stripes, they are Cleanroom ISO Class 5 rated & built to withstand even the harshest conditions. Available in a wide variety of styles—including Conic, Round, Square, Half-Circle, Rectangle, I-Beam, Pipe, Surface, & Corner bumpers—they offer tailored protection for machinery, walls, doorways, vehicles, & more. Most profiles are offered in 48" (1.2 m) lengths, with select options in 38" (1 m). All bumpers include adhesive backing (except I-Beam styles), with ESD-safe versions available in black (custom product, on demand).

## Standard Profiles (ESD Available: bumper profiles can be made in all black ESD)

Sizes: Lengths up to 4' (30.48cm)
Pipe & I-Beam Protectors

Conic I-Beam Protector	Square I-Beam Protector	Half Circle I-Beam Protector	Half-Circle Pipe Bumper	Large Half-Circle Pipe Bumper

Corner Protectors

Conic Corner Bumper	Round Corner Bumper	Large Round Corner Bumper	Square Corner Bumper	Large Square Corner Bumper	XLarge Square Corner Bumper

Surface Protectors

Conic Surface Bumper	Round Surface Bumper	Rectangle Surface Bumper	Large Rectangle Surface Bumper	Rounded Edge Surface Bumper

Custom Bumpers (custom designed to wrap around customer specified obstructions)

Custom Wrap Around Bumpers are designed to fit your specific hazard profile, providing durable protection in critical areas.
Each bumper's outer surface is wrapped with DuraStripe® Supreme V® — our most versatile striping & signage material. Available in 11 standard colors, including hazard striping, to match your facility's safety layout.Custom full-color prints are also available to communicate unique messages or branding.

Custom I beam example

# Sustainable Bumpers for Racking

Transform Your Workplace with Sustainability & Safety !

Ergomat leads the way in sustainable safety innovation with our upcycled Sustainable Bumper line. Crafted from repurposed ergonomic matting material, each bumper combines effective impact protection with environmental responsibility. Engineered with optimal density & thickness, they protect racking & equipment without obstructing workflow. A truly greener solution — delivering safety, durability, & savings without compromise.


Head Bump Protection

Product Stewardship	Waste Management	Energy Management	Environment Health & Safety

Ergomat Sustainable Racking Bumper   Width & Height is Determined by Racking Style. Length = 8' max

Two Panel Bumper

Racking Cross Member

Three Panel Bumper

Racking Cross Member

Texture & print quality close up

Peel-N-Stick easy release liner

ERGOMAT.COM

5S Solutions

Safety Signs / Aisle Striping & Walkways / Inline Aisle Striping / 5S Shapes
5S Letters & Numbers / Evacuation Glow Products